ELSEVIER

Wear 219 (1998) 231

WEAR

Author Index of Volume 219

Atwood, M., 42

Batchelor, A.W., 169
Bhushan, B., 16, 30
Bricout, J.P., 195

Chandrasekaran, N., 84
Cho, K.H., 3
Crampon, J., 195

De Baets, P., 220
DeBotton, G., 60
DiBenedetto, A.T., 213
Ditrói, F., 78

Fang, L., 188
Fu, Y., 169
Funkenbusch, P.D., 42

Girish, B.M., 162
Goldberg, A.J., 213
Golini, D., 42
Grischke, M., 98

Haan, J.J., 177
Hadfield, M., 8
Harris, S.J., 98
Hauw, B., 195
Hivart, Ph., 195
Horng, J.H., 205

John, P.J., 155

Kamath, R., 162
Kapsa, Ph., 114
Kim, S.S., 3
Kim, T.H., 3
Knothe, K., 105
Komanduri, R., 84

Li, Q., 188
Liu, C.R., 128
Liu, W., 124, 184
Loh, N.L., 169
Loubet, J.L., 114
Lu, J., 73

Mahunka, I., 78
Mathia, T.G., 114
Mittal, S., 128

Olk, C.H., 98

Piotrowski, J., 105
Prasad, S.V., 155
Puget, Y., 46

Raff, L.M., 84

Safari, S., 8
Satish, B.M., 162
Sharma, S.C., 162
Smith, M., 42
Steif, P.S., 177
Stokes, K., 46

Tan, K.W., 169
Trethewey, K.R., 46

Van De Velde, F., 220
Vargiolu, R., 114
Voevodin, A.A., 155

Wang, W., 213
Weiner, A.M., 98
Wood, R.J.K., 46

Xiaoli, L., 145
Xu, J., 16, 30
Xue, Q., 73, 124, 184

Zabinski, J.S., 155
Zahouani, H., 114
Zhang, J., 124, 184
Zhang, Z., 184
Zhejun, Y., 145
Zhou, Q., 188
Zhou, Y., 42

Elsevier Science S.A.

ELSEVIER

Wear 219 (1998) 233–236

WEAR

Subject Index of Volume 219

Abrasion
effects of nanoscale morphology on the abrasion of steel by diamond-like carbon, 98
Abrasive flow machining (AFM)
abrasive wear due to the slow flow of a concentrated suspension, 177
Acoustic emission
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145
Activation
investigation of the recoil implantation for thin layer activation and wear measurements, 78
Additive
the friction and wear behaviors of some O-containing organic compounds as additives in liquid paraffin, 124
the tribological behaviors of 2-mercaptobenzoxazole derivatives as additives in liquid paraffin, 184
Analytical description
abrasive wear due to the slow flow of a concentrated suspension, 177
Atomic force microscope (AFM)
effects of nanoscale morphology on the abrasion of steel by diamond-like carbon, 98

Boring
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145

CaF_2
calcium sulfate as a high temperature solid lubricant, 155
Carbon coating
pole tip recession studies of thin-film rigid disk head sliders. II. Effects of air bearing surface and pole tip region designs and carbon coating, 30
$CaSO_4$
calcium sulfate as a high temperature solid lubricant, 155
CeF_3
sliding friction, wear and oxidation behavior of CeF_3 compact in sliding against steels at temperatures to 700°C in air, 73
CeO_2
sliding friction, wear and oxidation behavior of CeF_3 compact in sliding against steels at temperatures to 700°C in air, 73
Ceramic grinding
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42
Coated target
the interaction of a coated target and an impinging waterdrop, 60
Coatings
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46
Composite materials
graphite particles reinforced ZA-27 alloy composite materials for journal bearing applications, 162

Contact mechanics
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114
Cutting conditions
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
Cyclotron
investigation of the recoil implantation for thin layer activation and wear measurements, 78

Dental materials
abrasive wear testing of dental restorative materials, 213
Diamondlike carbon
effects of nanoscale morphology on the abrasion of steel by diamond-like carbon, 98
Disk head
pole tip recession studies of thin-film rigid disk head sliders. II. Effects of air bearing surface and pole tip region designs and carbon coating, 30
Disk head slider
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16

Erosion resistance
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46

First transition
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205
Flow conditions
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46
Fluid-borne sand
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46
Fractal
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114
Fretting
fretting wear characteristics of Zircaloy-4 tube, 3
Friction
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
the relation between friction force and relative speed during the slip-phase of a stick–slip cycle, 220
Friction and wear behaviors
the friction and wear behaviors of some O-containing organic compounds as additives in liquid paraffin, 124
Friction coefficient
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205

Elsevier Science S.A.

Fuzzy clustering method
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145

Glazing
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42
Graphite
graphite particles reinforced ZA-27 alloy composite materials for journal bearing applications, 162
Grinding wheels
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42
Gudgeon
wear behaviour of the piston/gudgeon pin in a hermetic compressor with replacement CFC refrigerants, 8

Hölder index
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114
Hard turning
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
High temperature
sliding friction, wear and oxidation behavior of CeF_3 compact in sliding against steels at temperatures to 700°C in air, 73
calcium sulfate as a high temperature solid lubricant, 155
Hureaulite
annealing improvement of tribological properties of manganese phosphate coatings, 195

IR
the friction and wear behaviors of some O-containing organic compounds as additives in liquid paraffin, 124

Journal bearings
graphite particles reinforced ZA-27 alloy composite materials for journal bearing applications, 162

Laser textured disk
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16
pole tip recession studies of thin-film rigid disk head sliders. II. Effects of air bearing surface and pole tip region designs and carbon coating, 30
Lubrication
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
annealing improvement of tribological properties of manganese phosphate coatings, 195

Machining
effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach, 84
Manganese phosphate coating
annealing improvement of tribological properties of manganese phosphate coatings, 195
MD simulation
effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach, 84
2-Mercaptobenzoxazole derivative
the tribological behaviors of 2-mercaptobenzoxazole derivatives as additives in liquid paraffin, 184
Mineral oil
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
Modelling
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114
Morphology
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114

Nanometric cutting
effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach, 84
Nanotribology
effects of nanoscale morphology on the abrasion of steel by diamond-like carbon, 98
Nuclear
investigation of the recoil implantation for thin layer activation and wear measurements, 78
Nuclear-implantation
investigation of the recoil implantation for thin layer activation and wear measurements, 78

O-containing compound
the friction and wear behaviors of some O-containing organic compounds as additives in liquid paraffin, 124
Optimization
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
Oxidation
sliding friction, wear and oxidation behavior of CeF_3 compact in sliding against steels at temperatures to 700°C in air, 73

Phosphatation
annealing improvement of tribological properties of manganese phosphate coatings, 195
Piston
wear behaviour of the piston/gudgeon pin in a hermetic compressor with replacement CFC refrigerants, 8
Plasma nitriding
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
Plastic contact area
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205
Plasticity index
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205
Polarity
the friction and wear behaviors of some O-containing organic compounds as additives in liquid paraffin, 124
Pole tip recession
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16
pole tip recession studies of thin-film rigid disk head sliders. II. Effects of air bearing surface and pole tip region designs and carbon coating, 30
Polymer layer
experimental investigation of rolling contact of rigid bodies with polymer coating, 105
Pre-stressing
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
Protruded poles
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16

Real contact area
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205

Recessed poles
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16
Residual stress
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
Rigid bodies
experimental investigation of rolling contact of rigid bodies with polymer coating, 105
Rolling contact
experimental investigation of rolling contact of rigid bodies with polymer coating, 105
Rolling fatigue
optimal pre-stressing the surface of a component by superfinish hard turning for maximum fatigue life in rolling contact, 128
Roughness
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114

Sapphire
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42
Scale effect
effect of lateral resolution on topographical images and three-dimensional functional parameters, 114
Second transition
contact analysis of rough surfaces under transition conditions in sliding line lubrication, 205
Seizure
annealing improvement of tribological properties of manganese phosphate coatings, 195
Self-sharpening
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42
Slip amplitude
fretting wear characteristics of Zircaloy-4 tube, 3
Slip-phase
the relation between friction force and relative speed during the slip-phase of a stick–slip cycle, 220
Slurry test
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46
Specific wear rate
fretting wear characteristics of Zircaloy-4 tube, 3
Speed
the relation between friction force and relative speed during the slip-phase of a stick–slip cycle, 220
Stain
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16
410 stainless steel
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
Steel ball bearing
the tribological behaviors of 2-mercaptobenzoxazole derivatives as additives in liquid paraffin, 184
Stick–slip
the relation between friction force and relative speed during the slip-phase of a stick–slip cycle, 220
Stresses
the interaction of a coated target and an impinging waterdrop, 60
Synthetic oil
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169

Thin film
calcium sulfate as a high temperature solid lubricant, 155
Three-body abrasion
an experimental simulation of cutting wear in three-body abrasion, 188
TLA
investigation of the recoil implantation for thin layer activation and wear measurements, 78
Tool replacement
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145
Tool wear monitoring
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145
Tribological characteristic
sliding friction, wear and oxidation behavior of CeF_3 compact in sliding against steels at temperatures to 700°C in air, 73
Tribological properties
the tribological behaviors of 2-mercaptobenzoxazole derivatives as additives in liquid paraffin, 184
Tribology
calcium sulfate as a high temperature solid lubricant, 155
annealing improvement of tribological properties of manganese phosphate coatings, 195
Tribometer
abrasive wear testing of dental restorative materials, 213
Two-body abrasion
an experimental simulation of cutting wear in three-body abrasion, 188

Ultraprecision grinding
effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach, 84
Ultraprecision machining
effect of tool geometry in nanometric cutting: a molecular dynamics simulation approach, 84

Vitrified bond
wear and self-sharpening of vitrified bond diamond wheels during sapphire grinding, 42

Water
the performance of marine coatings and pipe materials under fluid-borne sand erosion, 46
Waterdrop
the interaction of a coated target and an impinging waterdrop, 60
Wavelet packet transform
tool wear monitoring with wavelet packet transform–fuzzy clustering method, 145
Wear
wear behaviour of the piston/gudgeon pin in a hermetic compressor with replacement CFC refrigerants, 8
pole tip recession studies of thin-film rigid disk head sliders. I. Mechanisms of pole tip recession growth, 16
pole tip recession studies of thin-film rigid disk head sliders. II. Effects of air bearing surface and pole tip region designs and carbon coating, 30
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
abrasive wear testing of dental restorative materials, 213
Wear efficiency
abrasive wear due to the slow flow of a concentrated suspension, 177
Wear-measurement
investigation of the recoil implantation for thin layer activation and wear measurements, 78
Wear mechanisms
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
an experimental simulation of cutting wear in three-body abrasion, 188
Wear volume
fretting wear characteristics of Zircaloy-4 tube, 3

XPS
the tribological behaviors of 2-mercaptobenzoxazole derivatives as additives in liquid paraffin, 184
X-ray imaging
effect of lubrication by mineral and synthetic oils on the sliding wear of plasma nitrided AISI 410 stainless steel, 169
ZA-27 alloy
graphite particles reinforced ZA-27 alloy composite materials for journal bearing applications, 162
Zircaloy-4 tube
fretting wear characteristics of Zircaloy-4 tube, 3